

## **Productivity UV-VIS Spectrophotometer**

**Product Images** 



تهران، خيابان مطهري، خيابان فجر، يلاك 38



021-88832100 021-88321727 021-88321728



www.abzarteb.com



abzar.teb



## **Short Description**

UNICO 2150 SERIES ADVANCED UV-VISIBLE SPECTROPHOTOMETER DIGITAL INTERFACE WITH INTERNAL MEMORY AND AUTO SYSTEM CHECK 200-1000 NM WAVELENGTH RANGE 4 NM SPECTRAL BANDWIDTH 4 PLACE HOLDER FOR 10 MM SQUARE CUVETTES USB PORT FOR OPTIONAL SOFTWARE INCLUDED ARE 2PCS OF 10MM SQUARE QUARTZ CUVETTES; 4 PCS OF 10MM SQUARE GLASS CUVETTES; DUST COVER; **USER MANUAL VOLTAGE PRESET AT 110V** 

## Description


The UNICO 2150-UV Spectrophotometer offers user an economic way to UV testing without sucrifizing many advanced features. With the built in memory for up to 200 test, expanded key board and large sample compartment the 2150UV is a great addition to UNICO Spectrophotometer line. Equipped standard with 4 position manual cell holder for 10mm cells. Additional holders are available. Contact your distributor for details.




تهران، خيابان مطهري، خيابان فجر، يلاك 38



021-88832100 021-88321727 021-88321728





## **Additional Information**



abzar.teb

Header

Software

کهران، خیابان مطهری، خیابان فجر، پلاک 38 021-88832100 021-88321727 021-88321728 www.abzarteb.com

Accessories

| rieddei     | Soleware   |
|-------------|--|
| S-2150-401  | Unico S-2150 Spectrophotometer Software. Win 7 Or Win 10 Required. Functions include Standard Curve, Abs/%T/Conc., Kinetics and Scanning. includes USB Cable.  |
| Header      | Accessories  |
| S-2150-101P | Test Tube Holder Kit for 8~20 Mm Diameter Test<br>Tubes. Includes Universal Base, One V-Type Tube<br>Holder  |
|             | Rectangular Long Path Cell Holder Kit for Cells Up<br>To 100 Mm Pathlength. Includes Universal Base<br>and One Holder  |
| S-2150-103P | Single 10 Mm Square Cuvette Holder Kit. includes<br>Universal Base and Square Cuvette Holder   |
| S-2150-104P | Cylindrical Cell Holder Kit for Cells Up To 100 Mm<br>Pathlength (22mm Dia.). Includes Universal Base<br>and One Holder  |
| S-2150-105P | Water-Jacketed Cuvette Holder Kit for 10 Mm<br>Single Square Cuvette includes Universal Base,<br>Water-Jacketed Holder with Flow-Thru Panel<br>(Water Bath Required)   |
| S-2150-106P | Micro-Cell Holder Kit for Use with 10 Mm<br>Microcuvettes. includes Adjustable X-Y Base and<br>Single Cuvette Holder for 10 Mm Square Cuvette  |
| S-2150-107P | Peltier Package for Continuous Temperature<br>Control: 15°C~40°C. includes Item # S-2150-109a<br>Peltier Thermal Electric 10 Mm Cell Holder and<br>Item # Sq2800-107b Peltier Controller Unit                                      |
| S-2150-108A | Flow-Thru Panel for Use with Ambient Flow Cell<br>System On S-2150 Series (Requires Flow Cell,<br>Tubing and Item # Sq2800-109b Flow-Thru/Peltier<br>Controller)   |
| S-2150-108P | Flow-Thru Package for Ambient Flow Through. includes Item #S-2150-108a Flow-Thru Panel and Item Sq2800-109b Flow-Thru Controller (Requires Flow Cell and Tubing)   |
| S-2150-109A | Sipper/Peltier Panel and 10mm Thermal Electric<br>Cell Holder for S-2150 Series  |
| S-2150-109P | Peltier/Sipper Package for Flow-Thru and<br>Continuous Temperature Control: 15°C~40°C.<br>Includes S-2150-109A Peltier Cell Holder with<br>Panel and # Sq2800-109b Peltier/Flow-Thru<br>Controller (Requires Flow Cell and Tubing) |
| S-2150-111  | 4-Position Manual Cell Holder (Standard with the instrument) for S-2100 Series   |
| S-2150-112  | Universal Base. Accommodates Up To 2 Same or Different Type of Holders   |
| S-2150-511  | Dust Cover for S-2150 Series   |
| S-2150-515  | Halogen Bulb for S-2150 Series, Package Of 1   |
| S-2150-525  | Deuterium Bulb with Flange for S-2150UV  |
|             |  |

Wavelength Range 200-1000 Slit Width 4nm

Single Beam, Grating System 1200 Optical System

lines/mm

Wavelength Accuracy

Dimensions 550(L) x 420(W) x 270(H) mm

Weight 20 kg / 44 lbs

Shipping Dimensions 650(L) x 540(W) x 390(H) mm

Shipping Weight 24 kg / 53 lbs



تهران، خيابان مطهري، خيابان فجر، يلاك 38



Specification

Size and Weight

021-88832100 021-88321727





www.abzarteb.com



abzar.teb